

Gage, Fred

From: Maguire, Andrew
Sent: Wednesday, January 20, 2016 1:58 PM
To: Gage, Fred
Subject: FW: Buckeye Pipeline - Kankakee Gasoline Spill

Andy Maguire
U.S. EPA - Region5
312-353-8782

From: Ruesch, Paul
Sent: Saturday, March 15, 2014 10:24 AM
To: Johnson, Mark <Johnson.Markg@epa.gov>; Rowan, Anne <rowan.anne@epa.gov>; Arcaute, Francisco <Arcaute.Francisco@epa.gov>; Kelley, Jeff <kelley.jeff@epa.gov>; Bouchee-Cureton, Yolanda <bouchee.yolanda@epa.gov>
Cc: Borries, Samuel <borries.samuel@epa.gov>; Maguire, Andrew <maguire.andrew@epa.gov>; Atkociunas, Paul <atkociunas.paul@epa.gov>; Ribordy, Michael <ribordy.mike@epa.gov>
Subject: Buckeye Pipeline - Kankakee Gasoline Spill

Mark & Cisco - Thanks for agreeing to help!

Andy Maguire (cell: 312-758-8672) is now in charge of this incident and needs some remote assistance from PIO (Cisco) and ATSDR (Mark). A press article appeared this morning with a quote from the Health Dept. official recommending residents test their water. The responding agencies/PRP are forming a JIC. Andy anticipates they will need to get some info out today to the public. It is my understanding that they plan to formulate a plan to get out and sample people's water.

I am attaching the current Press Fact Sheet distributed yesterday and will forward the initial POLREP in my next email.

Cisco and Mark - Please look at the information available so far (POLREP, press articles) and call Andy on his cell for instructions.

http://www.daily-journal.com/news/local/condition-of-water-next-issue-after-gas-spill-stopped/article_2d22b179-6157-5188-9858-21ac6ed701a0.html

By the way, there is a related story today in the same paper talking about the regional water supply:

http://www.daily-journal.com/news/local/epa-urges-regional-water-protection/article_757652fa-1d22-5b59-995b-b85a7c007647.html

Paul Ruesch
U.S. EPA Region 5
Emergency Response Branch #2
77 W. Jackson Blvd. (SE-5J)
Chicago, Illinois 60605-3590
Office: 001 312-886-7898
Cell: 001 312-919-4382
Email: ruesch.paul@epa.gov

Hi Jake,

My colleague contacted you earlier – I apologize if we woke you. When you get a chance, the EPA is requesting a copy of CRA's air monitoring plan.

Thank you in advance, please call or email with any questions. Cell: 773-587-9023.

Brennan Johnson

Associate Project Scientist

Weston Solutions, Inc.

20 North Wacker Drive, Suite 2035

Chicago, IL 60606-2901

Office: 312-424-3335

Fax: 312-424-3330

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.